



SPEC/OSG Result Search Engine

Available Configurations:

SPECrate2017_int



Go!

Search Form Request: ☐ Simple ☐ Advanced

SPEC CPU2017 Integer Rate Results -- Results

Request

Display	Criteria	Ordering	Published
• Hardware Vendor • System • # Cores • # Chips • Processor MHz • Base Copies • Result • Baseline • Energy Peak Result • Energy Base Result • Published	• # Cores is greater than 7 • Processor MHz is greater than 3199 • Result is greater than 68	1. Result 2. Hardware Vendor 3. System	• From: First Records • Through: Most Recent Entries

[Link \(to share or to bookmark\)](#)

Results ([Download](#) as CSV)

Found 515 results (out of 8400 records).

CPU2017 Integer Rates

Hardware Vendor	System	# Cores	# Chips	Processor MHz	Base Copies	Result	Baseline	Energy Peak Result	Energy Base Result	Published	Disclosure
Lenovo Global Technology	ThinkSystem SR655 3.20 GHz,AMD EPYC 7262	8	1	3200	16	68.5	65.6	--	--	Oct-2019	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.20 GHz,AMD EPYC 7262	8	1	3200	16	68.6	65.6	--	--	Oct-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R6515 (AMD EPYC 7262, 3.20 GHz)	8	1	3200	16	69.0	65.8	--	--	Sep-2019	HTML CSV PDF PS Text Config
Supermicro	SuperWorkstation 5039A-i (X11SRA ,	10	1	3300	20	69.8	65.1	--	--	Oct-2018	HTML CSV PDF

	Intel Xeon W-2155)											PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6128, 3.40 GHz)	12	2	3400	12	69.9	66.5	--	--	Mar-2018	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R6515 (AMD EPYC 7F32, 3.70 GHz)	8	1	3700	16	70.0	66.3	--	--	Apr-2020	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS ESC8000 G4(Z11PG-D24) Server System (3.80 GHz, Intel Xeon Platinum 8256)	8	2	3800	16	70.2	68.3	--	--	Oct-2019	HTML CSV PDF PS Text Config	
Supermicro	A+ Server 1014S-WTRT (H12SSW-NT , AMD EPYC 7262)	8	1	3200	16	70.2	67.1	--	--	Sep-2019	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R350 (Intel Xeon E-2388G, 3.20 GHz)	8	1	3200	16	71.2	68.1	--	--	Oct-2021	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge T350 (Intel Xeon E-2388G, 3.20 GHz)	8	1	3200	16	71.2	68.1	--	--	Oct-2021	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS RS500A-E10(KRPA-U16) Server System 3.20 GHz, AMD EPYC 7262	8	1	3200	16	71.3	68.3	--	--	Jan-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R7515 (AMD EPYC 7F32, 3.70 GHz)	8	1	3700	16	71.4	68.4	--	--	Apr-2020	HTML CSV PDF PS Text Config	
Supermicro	UP SuperServer SYS-510T-M (X12STH-SYS , Intel Xeon E-2388G)	8	1	3200	16	71.4	68.3	--	--	Sep-2021	HTML CSV PDF PS Text Config	
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G3 (Intel Xeon Gold 5222)	8	2	3800	16	72.0	69.7	--	--	Sep-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R350 (Intel Xeon E-2388G, 3.20 GHz)	8	1	3200	16	72.1	68.9	--	--	Nov-2021	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R740 (Intel Xeon Gold 5222, 3.80 GHz)	8	2	3800	16	72.5	69.9	--	--	Sep-2020	HTML CSV PDF PS Text Config	
Lenovo Global Technology	ThinkSystem ST50 V2 (3.20 GHz, Intel Xeon E-2388G)	8	1	3200	16	72.5	69.3	--	--	Mar-2022	HTML CSV PDF PS Text Config	
New H3C	H3C UniServer	8	2	3800	16	72.5	70.4	--	--	Aug-2021	HTML	

Technologies Co., Ltd.	R4900 G3 (Intel Xeon Platinum 8256)																					CSV PDF PS Text Config
Dell Inc.	PowerEdge XR11 (Intel Xeon Gold 5315Y, 3.20 GHz)	8	1	3200	16	72.6	70.3	--	--	Jul-2021												HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem ST250 V2 (3.20 GHz, Intel Xeon E-2388G)	8	1	3200	16	72.8	69.6	--	--	Mar-2022												HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge XR12 (Intel Xeon Gold 5315Y, 3.20 GHz)	8	1	3200	16	72.9	70.6	--	--	Jul-2021												HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR250 V2 (3.20 GHz, Intel Xeon E-2388G)	8	1	3200	16	73.2	69.9	--	--	Mar-2022												HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL20 Gen10 Plus (3.20 GHz, Intel Xeon E-2388G)	8	1	3200	16	75.8	72.4	--	--	Mar-2022												HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant ML30 Gen10 Plus (3.20 GHz, Intel Xeon E-2388G)	8	1	3200	16	76.2	72.9	--	--	Mar-2022												HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS300-E11(P12R-M) Server System (3.20 GHz, Intel Xeon E-2388G)	8	1	3200	16	77.6	74.1	--	--	Nov-2021												HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR655 3.70 GHz, AMD EPYC 7F32	8	1	3700	16	78.9	75.5	--	--	Apr-2020												HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.70 GHz, AMD EPYC 7F32	8	1	3700	16	79.0	75.5	--	--	Apr-2020												HTML CSV PDF PS Text Config
Supermicro	A+ Server 1114S-WTRT (H12SSW-NT , AMD EPYC 7F32)	8	1	3700	16	79.2	75.8	--	--	Apr-2020												HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS500A-E10(KRPA-U16) Server System 3.70 GHz, AMD EPYC 7F32	8	1	3700	16	80.2	76.8	--	--	Apr-2020												HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NP3020M7 (Intel Xeon E-2388G)	8	1	3200	16	80.3	77.3	--	--	Oct-2022												HTML CSV PDF PS Text Config
ASRock Rack Inc.	1U4LW-X570 RPSU AMD Ryzen 7 5800X,3.8GHz	8	1	3800	16	83.6	76.3	--	--	Sep-2022												HTML CSV PDF PS Text Config
Lenovo Global	ThinkSystem SR570	12	2	3400	24	84.8	81.2	--	--	Jun-2018												HTML

Strona 4 z 38

	Intel Xeon Gold 6128)											PS Text
Cisco Systems	Cisco UCS B200 M5 12 (Intel Xeon Gold 6128, 3.40 GHz)	2	3400	24	88.0	82.6	--	--	Dec-2017	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Cisco Systems	Cisco UCS C220 M5 12 (Intel Xeon Gold 6128 3.40 GHz)	2	3400	24	88.5	83.9	--	--	Feb-2019	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei XH628 V5 12 (Intel Xeon Gold 6128)	2	3400	24	88.7	84.1	--	--	Nov-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Cisco Systems	Cisco UCS C240 M5 12 (Intel Xeon Gold 6128 3.40 GHz)	2	3400	24	88.8	84.0	--	--	Dec-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6128)	12	3400	24	88.9	83.6	--	--	Sep-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6128)	12	3400	24	89.2	84.6	--	--	Oct-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6128)	12	3400	24	89.3	83.8	--	--	Jun-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6128)	12	3400	24	89.4	84.2	--	--	Aug-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6128)	12	3400	24	90.4	85.4	--	--	Feb-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6128)	12	3400	24	90.4	85.1	--	--	Feb-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6128)	12	3400	24	90.5	85.2	--	--	Feb-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.40 GHz, Intel Xeon Gold 6128)	12	3400	24	90.6	85.5	--	--	Jul-2018	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G3 (Intel Xeon Gold 6128)	12	3400	24	91.0	88.0	--	--	Dec-2019	HTML		
										CSV		
										PDF		
										PS Text		
										Config		
Hewlett Packard Enterprise	ProLiant DL325 Gen10 Plus v2 (3.70	8	3700	16	91.6	89.2	--	--	Jun-2021	HTML		
										CSV		
										PDF		

Strona 6 z 38

Xeon Gold 6134)											PS Text Config
Hewlett Packard Enterprise	ProLiant DL360 Gen10 (3.20 GHz, Intel Xeon Silver 4215R)	16	2	3200	32	110	106	--	--	Apr-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 (3.20 GHz, Intel Xeon Silver 4215R)	16	2	3200	32	110	105	--	--	Apr-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	Synergy 480 Gen10 (3.20 GHz, Intel Xeon Silver 4215R)	16	2	3200	32	110	106	--	--	Apr-2020	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h-1M (Intel Xeon Silver 4215R)	16	2	3200	32	110	106	--	--	Sep-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6134, 3.20GHz)	16	2	3200	32	111	106	--	--	Oct-2018	HTML CSV PDF PS Text Config
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Gold 6134, 3.20 GHz)	16	2	3200	32	111	106	--	--	May-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR590 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	111	107	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR650 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	111	105	--	--	Dec-2017	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	112	107	--	--	May-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6134, 3.20 GHz)	16	2	3200	32	112	107	--	--	May-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SD530 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	112	107	--	--	Jul-2018	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6134)	16	2	3200	32	112	105	--	--	May-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6134, 3.20 GHz)	16	2	3200	32	113	109	--	--	Dec-2017	HTML CSV PDF PS Text Config
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6134)	16	2	3200	32	113	107	--	--	Nov-2018	HTML CSV PDF PS Text

Inspur Corporation	Inspur NF5180M5 (Intel Xeon Silver 4215R)	16	2	3200	32	113	109	--	--	Apr-2020	Config HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5266M5 (Intel Xeon Silver 4215R)	16	2	3200	32	113	108	--	--	Jul-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Silver 4215R)	16	2	3200	32	113	109	--	--	Apr-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SD530 (3.20 GHz, Intel Xeon Gold 6134M)	16	2	3200	32	113	108	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SN850 (3.60 GHz, Intel Xeon Gold 5122)	16	4	3600	32	113	107	--	--	Dec-2017	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR630 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	113	108	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR630 (3.20 GHz, Intel Xeon Gold 6134M)	16	2	3200	32	113	109	--	--	Jun-2018	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6134)	16	2	3200	32	113	107	--	--	Aug-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6134M, 3.20 GHz)	16	2	3200	32	114	109	--	--	Feb-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Silver 4215R, 3.20GHz)	16	2	3200	32	114	110	--	--	Apr-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Silver 4215R, 3.20GHz)	16	2	3200	32	114	109	--	--	Mar-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6134, 3.20 GHz)	16	2	3200	32	114	108	--	--	Dec-2017	HTML CSV PDF PS Text Config
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Gold 6134, 3.20 GHz)	16	2	3200	32	114	108	--	--	Mar-2018	HTML CSV PDF PS Text Config
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Gold 6134, 3.20 GHz)	16	2	3200	32	114	108	--	--	Mar-2018	HTML CSV PDF PS Text Config

Huawei	Huawei 2288 V5 (Intel Xeon Gold 6134)	16	2	3200	32	114	108	--	--	Aug-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SD650 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	114	109	--	--	Jul-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SN550 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	114	107	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SN550 (3.20 GHz, Intel Xeon Gold 6134M)	16	2	3200	32	114	108	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR860 (3.60 GHz, Intel Xeon Gold 5122)	16	4	3600	32	114	108	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR860 (3.60 GHz, Intel Xeon Platinum 8156)	16	4	3600	32	114	108	--	--	Jun-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6134M, 3.20GHz)	16	2	3200	32	115	110	--	--	Dec-2017	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R640 (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	115	110	--	--	Jun-2020	HTML CSV PDF PS Text Config
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6134)	16	2	3200	32	115	110	--	--	Oct-2018	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h- 2M (Intel Xeon Gold 6134M)	16	2	3200	32	115	108	--	--	Nov-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6134 3.20 GHz)	16	2	3200	32	116	110	--	--	Feb-2019	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6134 3.20 GHz)	16	2	3200	32	116	109	--	--	Dec-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX840c (Intel Xeon Platinum 8156 CPU, 3.60GHz)	16	4	3600	32	116	110	--	--	Sep-2018	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	116	110	--	--	Feb-2019	HTML CSV PDF PS Text Config
Huawei	Huawei XH321 V5	16	2	3200	32	116	109	--	--	Jun-2018	HTML

[illegible]

Xeon Gold 5122)											PS Text Config HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR950 (3.60 GHz, Intel Xeon Gold 5122)	16	4	3600	32	117	111	--	--	Dec-2017	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR950 (3.60 GHz, Intel Xeon Platinum 8156)	16	4	3600	32	117	110	--	--	Mar-2018	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/A2040e (3.60 GHz, Intel Xeon Gold 5122)	16	4	3600	32	117	110	--	--	Jul-2018	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/A2040e (3.60 GHz, Intel Xeon Platinum 8156)	16	4	3600	32	117	110	--	--	Jul-2018	HTML CSV PDF PS Text Config
Supermicro	A+ SuperWorkstation 5014A-TT (M12SWA-TF , AMD Ryzen Threadripper PRO 3945WX)	12	1	4000	24	117	111	--	--	Apr-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6144, 3.50GHz)	16	2	3500	32	118	113	--	--	Oct-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 5122, 3.60 GHz)	16	4	3600	32	118	111	--	--	Dec-2017	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8156, 3.60 GHz)	16	4	3600	32	118	111	--	--	Nov-2017	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL580 Gen10 (3.60 GHz, Intel Xeon Gold 5122)	16	4	3600	32	118	112	--	--	Dec-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6134)	16	2	3200	32	118	111	--	--	Feb-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 2488 V5 (Intel Xeon Gold 5122)	16	4	3600	32	118	112	--	--	Jul-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 2488 V5 (Intel Xeon Platinum 8156)	16	4	3600	32	118	111	--	--	Sep-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 2488H V5 (Intel Xeon Gold 5122)	16	4	3600	32	118	111	--	--	Jun-2018	HTML CSV PDF PS Text Config

Huawei	Huawei 5885H V5 (Intel Xeon Gold 5122)	16	4	3600	32	118	111	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR630 (3.50 GHz, Intel Xeon Gold 6144)	16	2	3500	32	118	113	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR850 (3.60 GHz, Intel Xeon Platinum 8156)	16	4	3600	32	118	111	--	--	Mar-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 5122, 3.60 GHz)	16	4	3600	32	119	112	--	--	Mar-2019	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8156, 3.60 GHz)	16	4	3600	32	119	113	--	--	Jan-2019	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Gold 5122)	16	4	3600	32	119	113	--	--	Feb-2019	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL580 Gen10 (3.60 GHz, Intel Xeon Platinum 8156)	16	4	3600	32	119	113	--	--	Dec-2018	HTML CSV PDF PS Text Config
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6144)	16	2	3500	32	119	112	--	--	Nov-2018	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.20 GHz, Intel Xeon Gold 6134)	16	2	3200	32	120	113	--	--	Aug-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8156, 3.60 GHz)	16	4	3600	32	120	113	--	--	Jul-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6144, 3.50 GHz)	16	2	3500	32	120	115	--	--	May-2018	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Platinum 8156)	16	4	3600	32	120	113	--	--	Feb-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX740c (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	121	118	--	--	Jun-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R540 (Intel Xeon Silver 4215R 3.2 GHz)	16	2	3200	32	121	117	--	--	Oct-2020	HTML CSV PDF PS Text Config

Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8156)	16	4	3600	32	121	114	--	--	Sep-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8156)	16	4	3600	32	121	114	--	--	Sep-2018	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6144)	16	2	3500	32	121	115	--	--	Oct-2018	HTML CSV PDF PS Text Config
Supermicro	SuperStorage 6029P-E1CR24H (X11DSC+ , Intel Xeon Silver 4215R)	16	2	3200	32	121	117	--	--	Sep-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6144, 3.50 GHz)	16	2	3500	32	122	117	--	--	Jun-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6144 3.50 GHz)	16	2	3500	32	122	116	--	--	Feb-2019	HTML CSV PDF PS Text Config
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6144)	16	2	3500	32	122	115	--	--	Aug-2018	HTML CSV PDF PS Text Config
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6144)	16	2	3500	32	122	115	--	--	Aug-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR650 (3.50 GHz, Intel Xeon Gold 6144)	16	2	3500	32	122	115	--	--	Jun-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	123	118	--	--	Mar-2022	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	123	118	--	--	Nov-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R540 (Intel Xeon Silver 4215R, 3.2 GHz)	16	2	3200	32	123	119	--	--	Nov-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge T640 (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	123	119	--	--	Aug-2020	HTML CSV PDF PS Text Config
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6144)	16	2	3500	32	123	116	--	--	Aug-2018	HTML CSV PDF PS Text Config
Huawei	Huawei XH321 V5	16	2	3500	32	123	115	--	--	Jun-2018	HTML

	(Intel Xeon Gold 6144)											CSV PDF PS Text Config
Oracle Corporation	1-Chip VM with SPARC M7	32	1	4133	256	123	114	--	--	Jun-2017	HTML CSV PDF PS Text Config	
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6144 3.50 GHz)	16	2	3500	32	124	118	--	--	Dec-2018	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	124	120	--	--	Jun-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4215R, 3.20 GHz)	16	2	3200	32	124	120	--	--	Jul-2020	HTML CSV PDF PS Text Config	
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6144)	16	2	3500	32	124	116	--	--	Aug-2018	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6234, 3.30 GHz)	16	2	3300	32	125	120	--	--	May-2020	HTML CSV PDF PS Text Config	
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6144)	16	2	3500	32	125	117	--	--	Sep-2018	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.50 GHz, Intel Xeon Gold 6144)	16	2	3500	32	126	120	--	--	Jun-2018	HTML CSV PDF PS Text Config	
NEC Corporation	Express5800/R120h-1M (Intel Xeon Gold 6234)	16	2	3300	32	127	123	--	--	Jun-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6234, 3.30GHz)	16	2	3300	32	128	124	--	--	Jun-2019	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge T640 (Intel Xeon Gold 6234, 3.30GHz)	16	2	3300	32	128	124	--	--	Jun-2019	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6234, 3.30GHz)	16	2	3300	32	129	125	--	--	Dec-2019	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS ESC8000 G4(Z11PG-D24) Server System (3.20 GHz, Intel Xeon Silver 4215R)	16	2	3200	32	130	126	--	--	Jul-2020	HTML CSV PDF PS Text Config	

NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6234)	16	2	3300	32	130	126	--	--	Oct-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6234, 3.30GHz)	16	2	3300	32	132	128	--	--	Jun-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6234, 3.30GHz)	16	2	3300	32	132	128	--	--	Jul-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 5222, 3.80GHz)	16	4	3800	32	132	128	--	--	Jul-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 5222, 3.80GHz)	16	4	3800	32	132	128	--	--	Jun-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5222, 3.80GHz)	16	4	3800	32	133	129	--	--	Aug-2019	HTML CSV PDF PS Text Config
NEC Corporation	NX7700x/A5012M-4 v2 (Intel Xeon Gold 5222, 3.80GHz)	16	4	3800	32	133	128	--	--	Nov-2019	HTML CSV PDF PS Text Config
NEC Corporation	NX7700x/A5012M-4 v2 (Intel Xeon Platinum 8256, 3.80GHz)	16	4	3800	32	133	129	--	--	Nov-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6244, 3.60GHz)	16	2	3600	32	134	130	--	--	Jun-2019	HTML CSV PDF PS Text Config
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6244)	16	2	3600	32	135	131	--	--	Apr-2019	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6234)	16	2	3300	32	135	130	--	--	May-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6244, 3.60GHz)	32	2	3600	32	136	132	--	--	Jul-2019	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h-1M (Intel Xeon Gold 6244)	16	2	3600	32	136	132	--	--	Nov-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C225 M6 (AMD EPYC 7262 8-core) Processor)	16	2	3200	32	137	130	--	--	Aug-2022	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C245 M6	16	2	3200	32	137	130	--	--	Aug-2022	HTML

[illegible]

EPYC 7262											PS Text Config
Lenovo Global Technology	ThinkSystem SR665 3.20 GHz, AMD EPYC 7262	16	2	3200	32	140	134	--	--	Jul-2020	HTML CSV PDF PS Text Config
Supermicro	A+ Server 1123US-TR4 (H11DSU-iN , AMD EPYC 7262)	16	2	3200	32	140	134	--	--	Mar-2020	HTML CSV PDF PS Text Config
Tyrone Systems	Tyrone Camarero SSA300TA-54TL (3.90 GHz, AMD Ryzen Threadripper PRO 3955WX)	16	1	3900	32	140	130	--	--	Nov-2021	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B200 M6 (Intel Xeon Gold 5315Y, 3.20GHz)	16	2	3200	32	142	137	--	--	Sep-2021	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M6 (Intel Xeon Gold 5315Y, 3.20GHz)	16	2	3200	32	142	138	--	--	Sep-2021	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M6 (Intel Xeon Gold 5315Y, 3.20GHz)	16	2	3200	32	142	138	--	--	Sep-2021	HTML CSV PDF PS Text Config
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6234)	16	2	3300	32	142	137	--	--	Aug-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6244)	16	2	3600	32	142	137	--	--	Feb-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R450 (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	143	139	--	--	Jan-2022	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R650 (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	143	139	--	--	Jul-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL360 Gen10 Plus (3.20 GHz, Intel Xeon Gold 5315Y)	16	2	3200	32	143	138	--	--	Jul-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 Plus (3.20 GHz, Intel Xeon Gold 5315Y)	16	2	3200	32	143	138	--	--	Aug-2021	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G5 (Intel Xeon Gold 5315Y)	16	2	3200	32	143	139	--	--	Jan-2022	HTML CSV PDF PS Text Config
New H3C Technologies	H3C UniServer R6900 G3 (Intel	16	4	3800	32	143	138	--	--	Nov-2020	HTML CSV PDF

Co., Ltd.	Xeon Gold 5222)										PS Text Config
Supermicro	A+ SuperWorkstation 5014A-TT (M12SWA-TF , AMD Ryzen Threadripper PRO 3955WX)	16	1	3900	32	143	133	--	--	Apr-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6520 (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	144	139	--	--	Jul-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R650xs (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	144	139	--	--	Nov-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R750 (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	144	139	--	--	Jul-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R750xs (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	144	139	--	--	Nov-2021	HTML CSV PDF PS Text Config
GIGA-BYTE TECHNOLOGY CO., LTD	R282-3C0	16	2	3200	32	144	140	--	--	Sep-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 (3.90 GHz, Intel Xeon Gold 6250)	16	2	3900	32	144	139	--	--	Mar-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5180M6 (Intel Xeon Gold 5315Y)	16	2	3200	32	144	140	--	--	Jul-2021	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5280M6 (Intel Xeon Gold 5315Y)	16	2	3200	32	144	139	--	--	Jul-2021	HTML CSV PDF PS Text Config
Supermicro	SuperServer SYS-620C-TN12R (X12DDW-A6 , Intel Xeon Gold 5315Y)	16	2	3200	32	144	140	--	--	Aug-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL360 Gen10 (3.90 GHz, Intel Xeon Gold 6250)	16	2	3900	32	145	140	--	--	Mar-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6244)	16	2	3600	32	145	140	--	--	Jun-2021	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS700-E10(Z12PP-D32) Server System (3.20 GHz, Intel Xeon Gold 5315Y)	16	2	3200	32	147	142	--	--	Jan-2022	HTML CSV PDF PS Text Config

ASUSTeK Computer Inc.	ASUS ESC8000 G4(Z11PG-D24) Server System (3.60 GHz, Intel Xeon Gold 6244)	16	2	3600	32	148	144	--	--	Jun-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R550 (Intel Xeon Gold 5315Y, 3.20 GHz)	16	2	3200	32	148	143	--	--	Jun-2022	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6244)	16	2	3600	32	148	143	--	--	Jun-2021	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G3 (Intel Xeon Gold 6244)	16	2	3600	32	148	143	--	--	Aug-2021	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B200 M6 (Intel Xeon Gold 6334, 3.60GHz)	16	2	3600	32	149	145	--	--	Aug-2021	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M6 (Intel Xeon Gold 6334, 3.60GHz)	16	2	3600	32	149	145	--	--	Aug-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R7515 (AMD EPYC 7F52, 3.50 GHz)	16	1	3500	32	149	141	--	--	Apr-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M6 (Intel Xeon Gold 6334, 3.60GHz)	16	2	3600	32	150	145	--	--	Sep-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	Synergy 480 Gen10 Plus (3.60 GHz, Intel Xeon Gold 6334)	16	2	3600	32	150	146	--	--	Feb-2022	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6520 (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	151	146	--	--	Jul-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6146, 3.20GHz)	24	2	3200	48	151	141	--	--	Oct-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R650 (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	151	146	--	--	Jul-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R650xs (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	151	146	--	--	Nov-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R6515 (AMD EPYC 7F52, 3.50 GHz)	16	1	3500	32	151	143	--	--	Apr-2020	HTML CSV PDF PS Text Config

Dell Inc.	PowerEdge R750xa (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	151	146	--	--	Jul-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R750xs (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	151	146	--	--	Nov-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL360 Gen10 Plus (3.60 GHz, Intel Xeon Gold 6334)	16	2	3600	32	151	146	--	--	Jul-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 Plus (3.60 GHz, Intel Xeon Gold 6334)	16	2	3600	32	151	146	--	--	Aug-2021	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R4300 G5 (Intel Xeon Gold 6334)	16	2	3600	32	151	146	--	--	Jan-2022	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G5 (Intel Xeon Gold 6334)	16	2	3600	32	151	147	--	--	Aug-2021	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS ESC8000 G4(Z11PG-D24) Server System (3.90 GHz, Intel Xeon Gold 6250)	16	2	3900	32	152	147	--	--	Mar-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX750c (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	152	147	--	--	May-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R750 (Intel Xeon Gold 6334, 3.60 GHz)	16	2	3600	32	152	147	--	--	Jul-2021	HTML CSV PDF PS Text Config
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6146)	24	2	3200	48	152	144	--	--	Nov-2018	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5180M6 (Intel Xeon Gold 6334)	16	2	3600	32	152	147	--	--	Aug-2021	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5280M6 (Intel Xeon Gold 6334)	16	2	3600	32	152	147	--	--	Jul-2021	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SD530 (3.20 GHz, Intel Xeon Gold 6146)	24	2	3200	48	152	145	--	--	Aug-2018	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G5 (Intel Xeon Gold 6334)	16	2	3600	32	152	147	--	--	Dec-2021	HTML CSV PDF PS Text Config

ASUSTeK Computer Inc.	ASUS RS700-E10(Z12PP-D32) Server System (3.60 GHz, Intel Xeon Gold 6334)	16	2	3600	32	154	149	--	--	Nov-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6525 (AMD EPYC 7F32, 3.70 GHz)	16	2	3700	32	154	147	--	--	Apr-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R6525 (AMD EPYC 7F32, 3.70 GHz)	16	2	3700	32	154	147	--	--	Apr-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus (3.70 GHz, AMD EPYC 7F32)	16	2	3700	32	154	148	--	--	May-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus (3.70 GHz, AMD EPYC 7F32)	16	2	3700	32	154	148	--	--	Apr-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR655 3.50 GHz, AMD EPYC 7F52	16	1	3500	32	154	147	--	--	Apr-2020	HTML CSV PDF PS Text Config
Supermicro	A+ Server 1114S-WTRT (H12SSW-NT , AMD EPYC 7F52)	16	1	3500	32	154	146	--	--	Apr-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.50 GHz, AMD EPYC 7F52	16	1	3500	32	155	147	--	--	Apr-2020	HTML CSV PDF PS Text Config
Supermicro	A+ Server 1114S-WN10RT (H12SSW-NTR, AMD EPYC 7F52)	16	1	3500	32	155	146	--	--	Jul-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R7525 (AMD EPYC 7F32, 3.70 GHz)	16	2	3700	32	156	148	--	--	May-2020	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS500A-E10(KRPA-U16) Server System 3.50 GHz, AMD EPYC 7F52	16	1	3500	32	157	149	--	--	Apr-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL325 Gen10 Plus v2 (3.20 GHz, AMD EPYC 7343)	16	1	3200	32	157	152	--	--	Jul-2021	HTML CSV PDF PS Text Config
Supermicro	A+ Server 2124BT-HTR (H12DST-B , AMD EPYC 7F32)	16	2	3700	32	157	151	--	--	May-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R640 (Intel Xeon Gold 6250, 3.90 GHz)	16	2	3900	32	158	153	--	--	Jun-2020	HTML CSV PDF PS Text Config

Lenovo Global Technology	ThinkSystem SR645 3.70 GHz, AMD EPYC 7F32	16	2	3700	32	158	151	--	--	Jun-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR665 3.70 GHz, AMD EPYC 7F32	16	2	3700	32	158	151	--	--	Aug-2020	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS700A-E9V2(KNPP-D32-R) Server System 3.70 GHz, AMD EPYC 7F32	16	2	3700	32	159	152	--	--	Apr-2020	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS720-E10(Z12PP-D32) Server System (3.60 GHz, Intel Xeon Gold 6334)	16	2	3600	32	160	157	--	--	Oct-2022	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6250, 3.90 GHz)	16	2	3900	32	160	155	--	--	Aug-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL345 Gen10 Plus (3.20 GHz, AMD EPYC 7343)	16	1	3200	32	160	156	--	--	Jun-2021	HTML CSV PDF PS Text Config
Supermicro	A+ Server 1023US-TR4 (H11DSU-iN , AMD EPYC 7F32)	16	2	3700	32	160	153	--	--	Apr-2020	HTML CSV PDF PS Text Config
Supermicro	A+ Server 2024US-TRT (H12DSU-iN , AMD EPYC 7F32)	16	2	3700	32	160	154	--	--	Sep-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR650 (3.20 GHz, Intel Xeon Gold 6146)	24	2	3200	48	162	155	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR630 (3.20 GHz, Intel Xeon Gold 6146)	24	2	3200	48	163	155	--	--	Jun-2018	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS720-E9(Z11PP-D24) Server System (3.90 GHz, Intel Xeon Gold 6250)	16	2	3900	32	164	158	--	--	Sep-2020	HTML CSV PDF PS Text Config
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6146)	24	2	3200	48	165	159	--	--	Jul-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.20 GHz, AMD EPYC 7343	16	1	3200	32	165	160	--	--	Jul-2021	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR655 3.20 GHz, AMD	16	1	3200	32	165	160	--	--	Aug-2021	HTML CSV PDF

EPYC 7343										PS Text Config	
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6146)	24	2	3200	48	165	155	--	--	Sep-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6146, 3.20 GHz)	24	2	3200	48	166	155	--	--	May-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6146, 3.20GHz)	24	2	3200	48	167	159	--	--	Nov-2017	HTML CSV PDF PS Text Config
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6146)	24	2	3200	48	167	157	--	--	Jul-2018	HTML CSV PDF PS Text Config
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6146)	24	2	3200	48	167	157	--	--	Jul-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6146 3.20 GHz)	24	2	3200	48	168	159	--	--	Feb-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6146, 3.20 GHz)	24	2	3200	48	168	159	--	--	Mar-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6146)	24	2	3200	48	169	159	--	--	Jul-2018	HTML CSV PDF PS Text Config
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6146)	24	2	3200	48	169	159	--	--	Nov-2018	HTML CSV PDF PS Text Config
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6146)	24	2	3200	48	169	159	--	--	Jun-2018	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL345 Gen10 Plus (3.50 GHz, AMD EPYC 73F3)	16	1	3500	32	170	165	--	--	Jun-2021	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS520A-E11(KMPA-U16) Server System 3.20 GHz, AMD EPYC 7343	16	1	3200	32	171	166	--	--	Oct-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL325 Gen10 Plus v2 (3.50 GHz, AMD EPYC 73F3)	16	1	3500	32	171	166	--	--	May-2021	HTML CSV PDF PS Text Config
Fujitsu	Fujitsu SPARC M12-2	24	2	3900	192	172	141	--	--	Dec-2017	HTML CSV PDF

											PS Text Config
Lenovo Global Technology	ThinkSystem SR850 (3.40 GHz, Intel Xeon Gold 6128)	24	4	3400	48	172	163	--	--	Jun-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6128, 3.40 GHz)	24	4	3400	48	173	163	--	--	May-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6128, 3.40GHz)	24	4	3400	48	173	163	--	--	Feb-2019	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SN850 (3.40 GHz, Intel Xeon Gold 6128)	24	4	3400	48	173	164	--	--	Jun-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6128 3.40 GHz)	24	4	3400	48	174	165	--	--	Nov-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6146, 3.20 GHz)	24	2	3200	48	174	165	--	--	Dec-2017	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.50 GHz, AMD EPYC 73F3	16	1	3500	32	174	169	--	--	Jul-2021	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR950 (3.40 GHz, Intel Xeon Gold 6128)	24	4	3400	48	174	163	--	--	Dec-2017	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/A2040e (3.40 GHz, Intel Xeon Gold 6128)	24	4	3400	48	174	163	--	--	Aug-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6128, 3.40 GHz)	24	4	3400	48	175	164	--	--	Dec-2017	HTML CSV PDF PS Text Config
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6128)	24	4	3400	48	175	164	--	--	Sep-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6128)	24	4	3400	48	176	165	--	--	Aug-2018	HTML CSV PDF PS Text Config
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6128)	24	4	3400	48	176	165	--	--	Aug-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR655 3.50 GHz, AMD EPYC 73F3	16	1	3500	32	176	171	--	--	Aug-2021	HTML CSV PDF PS Text

Cisco Systems	Cisco UCS C480 M5 24 (Intel Xeon Gold 6128, 3.40 GHz)	4	3400	48	177	167	--	--	Feb-2019	Config HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.20 GHz, Intel Xeon Gold 6146)	24	2	3200	48	179	168	--	Aug-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6246, 3.30GHz)	24	2	3300	48	179	174	--	Jun-2019	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS520A-E11(KMPA-U16) Server System 3.50 GHz, AMD EPYC 73F3	16	1	3500	32	180	175	--	Aug-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL365 Gen10 Plus (3.70 GHz, AMD EPYC 72F3)	16	2	3700	32	183	178	--	Jun-2021	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus v2 (3.70 GHz, AMD EPYC 72F3)	16	2	3700	32	183	178	--	Jun-2021	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 24 (Intel Xeon Gold 6246, 3.30GHz)	24	2	3300	48	187	181	--	Oct-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6246, 3.30GHz)	24	2	3300	48	187	181	--	May-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6246, 3.30GHz)	24	2	3300	48	187	181	--	Jul-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R7525 (AMD EPYC 72F3 8-Core Processor)	16	2	3700	32	187	183	--	May-2021	HTML CSV PDF PS Text Config
Fujitsu	Fujitsu SPARC M12- 2S	24	2	4250	192	187	152	--	Dec-2017	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C245 M6 16 (AMD EPYC 72F3 8-Core Processor)	16	2	3700	32	189	186	--	Jul-2021	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR645 3.70 GHz, AMD EPYC 72F3	16	2	3700	32	189	185	--	Apr-2021	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR665 3.70 GHz, AMD	16	2	3700	32	189	184	--	Apr-2021	HTML CSV PDF

EPYC 72F3											PS Text Config
Dell Inc.	PowerEdge R6515 (AMD EPYC 7F72, 3.20 GHz)	24	1	3200	48	190	175	--	--	Apr-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6246, 3.30GHz)	24	2	3300	48	193	186	--	--	Sep-2019	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C225 M6 (AMD EPYC 72F3 8-Core Processor)	16	2	3700	32	196	193	--	--	Oct-2021	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R7515 (AMD EPYC 7F72, 3.20 GHz)	24	1	3200	48	196	182	--	--	Apr-2020	HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS720A-E11(KMPP-D32) Server System 3.70 GHz, AMD EPYC 72F3	16	2	3700	32	197	192	--	--	Jul-2021	HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h-1M (Intel Xeon Gold 6256)	24	2	3600	48	197	190	--	--	Nov-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R6515 (AMD EPYC 7F72, 3.20 GHz)	24	1	3200	48	200	186	--	--	Apr-2020	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G3 (Intel Xeon Gold 6246)	24	2	3300	48	202	195	--	--	Sep-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL360 Gen10 (3.60 GHz, Intel Xeon Gold 6256)	24	2	3600	48	203	197	--	--	Mar-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 (3.60 GHz, Intel Xeon Gold 6256)	24	2	3600	48	204	198	--	--	Mar-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.20 GHz, AMD EPYC 7F72	24	1	3200	48	204	191	--	--	Apr-2020	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR655 3.20 GHz, AMD EPYC 7F72	24	1	3200	48	204	191	--	--	Apr-2020	HTML CSV PDF PS Text Config
Supermicro	A+ Server 1114S-WN10RT (H12SSW-NTR, AMD EPYC 7F72)	24	1	3200	48	205	192	--	--	Jul-2020	HTML CSV PDF PS Text Config
Supermicro	A+ Server 1114S-WTRT (H12SSW-	24	1	3200	48	206	193	--	--	Apr-2020	HTML CSV PDF

	NT , AMD EPYC 7F72)											PS Text Config
ASUSTeK Computer Inc.	ASUS RS500A-E10(KRPA-U16) Server System 3.20 GHz, AMD EPYC 7F72	24	1	3200	48	210	196	--	--	Apr-2020	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS ESC8000 G4(Z11PG-D24) Server System (3.30 GHz, Intel Xeon Gold 6246)	24	2	3300	48	211	204	--	--	Jun-2019	HTML CSV PDF PS Text Config	
Lenovo Global Technology	ThinkSystem SN850 (3.20 GHz, Intel Xeon Gold 6134)	32	4	3200	64	216	204	--	--	Dec-2017	HTML CSV PDF PS Text Config	
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6256)	24	2	3600	48	217	210	--	--	Mar-2021	HTML CSV PDF PS Text Config	
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G3 (Intel Xeon Gold 6256)	24	2	3600	48	217	210	--	--	Sep-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6256, 3.60 GHz)	24	2	3600	48	219	212	--	--	Aug-2020	HTML CSV PDF PS Text Config	
New H3C Technologies Co., Ltd.	H3C UniServer R4900 G3 (Intel Xeon Gold 6256)	24	2	3600	48	219	212	--	--	Dec-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R640 (Intel Xeon Gold 6256, 3.60 GHz)	24	2	3600	48	220	212	--	--	Jun-2020	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6134, 3.20 GHz)	32	4	3200	64	220	210	--	--	May-2018	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6134, 3.20GHz)	32	4	3200	64	220	210	--	--	Feb-2019	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS ESC8000 G4(Z11PG-D24) Server System (3.60 GHz, Intel Xeon Gold 6256)	24	2	3600	48	222	214	--	--	May-2020	HTML CSV PDF PS Text Config	
Lenovo Global Technology	ThinkSystem SR860 (3.20 GHz, Intel Xeon Gold 6134)	32	4	3200	64	223	211	--	--	Mar-2018	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6134, 3.20GHz)	32	4	3200	64	224	214	--	--	Oct-2018	HTML CSV PDF PS Text Config	

Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6144, 3.50 GHz)	32	4	3500	64	225	214	--	--	May-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6144, 3.50GHz)	32	4	3500	64	225	214	--	--	Feb-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6134, 3.20 GHz)	32	4	3200	64	226	213	--	--	Dec-2017	HTML CSV PDF PS Text Config
Huawei	Huawei 9008 V5 (Intel Xeon Gold 6134M)	32	4	3200	64	226	216	--	--	Nov-2018	HTML CSV PDF PS Text Config
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6134)	32	4	3200	64	226	213	--	--	Jun-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SN850 (3.20 GHz, Intel Xeon Gold 6134M)	32	4	3200	64	226	213	--	--	Jun-2018	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6134 3.20 GHz)	32	4	3200	64	228	214	--	--	Nov-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR635 3.20 GHz, AMD EPYC 74F3	24	1	3200	48	228	220	--	--	Jul-2021	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR850 (3.20 GHz, Intel Xeon Gold 6134)	32	4	3200	64	228	215	--	--	Dec-2017	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR850 (3.20 GHz, Intel Xeon Gold 6134M)	32	4	3200	64	228	215	--	--	Jun-2018	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6246R, 3.40 GHz)	32	2	3400	64	229	222	--	--	May-2020	HTML CSV PDF PS Text Config
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6134M)	32	4	3200	64	229	218	--	--	Sep-2018	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR950 (3.20 GHz, Intel Xeon Gold 6134M)	32	4	3200	64	229	216	--	--	Dec-2017	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6134M 3.20 GHz)	32	4	3200	64	230	216	--	--	Nov-2018	HTML CSV PDF PS Text Config
Hewlett Packard	ProLiant DL325	24	1	3200	48	230	223	--	--	May-2021	HTML

Strona 29 z 38

Technology	3.20 GHz, AMD EPYC 74F3																			CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR850 (3.50 GHz, Intel Xeon Gold 6144)	32	4	3500	64	237	223	--	--	Aug-2018										HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6144, 3.50GHz)	32	4	3500	64	238	227	--	--	Oct-2018										HTML CSV PDF PS Text Config
NEC Corporation	Express5800/A2040e (3.50 GHz, Intel Xeon Gold 6144)	32	4	3500	64	239	225	--	--	Jul-2018										HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C225 M6 (AMD EPYC 74F3 24-Core)	24	1	3200	48	241	234	--	--	Dec-2021										HTML CSV PDF PS Text Config
NEC Corporation	Express5800/A2040e (3.50 GHz, Intel Xeon Gold 6144)	32	4	3500	64	241	227	--	--	Oct-2018										HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6144, 3.50 GHz)	32	4	3500	64	242	229	--	--	Feb-2018										HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6144 3.50 GHz)	32	4	3500	64	242	228	--	--	Jan-2019										HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6144, 3.50 GHz)	32	4	3500	64	245	230	--	--	Nov-2017										HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR950 (3.50 GHz, Intel Xeon Gold 6144)	32	4	3500	64	245	231	--	--	Mar-2018										HTML CSV PDF PS Text Config
ASUSTeK Computer Inc.	ASUS RS520A-E11(KMPA-U16) Server System 3.20 GHz, AMD EPYC 74F3	24	1	3200	48	246	238	--	--	Aug-2021										HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF8260M5 (Intel Xeon Gold 6234)	32	4	3300	64	247	238	--	--	Nov-2019										HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL380 Gen10 (3.40 GHz, Intel Xeon Gold 6246R)	32	2	3400	64	248	239	--	--	Mar-2020										HTML CSV PDF PS Text Config
NEC Corporation	Express5800/R120h-1M (Intel Xeon Gold 6246R)	32	2	3400	64	248	240	--	--	Nov-2020										HTML CSV PDF PS Text Config

Hewlett Packard Enterprise	Synergy 480 Gen10 (3.40 GHz, Intel Xeon Gold 6246R)	32	2	3400	64	249	240	--	--	Apr-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6246R, 3.40 GHz)	32	2	3400	64	250	241	--	--	Feb-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6246R, 3.40 GHz)	32	2	3400	64	252	242	--	--	Jun-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL360 Gen10 (3.40 GHz, Intel Xeon Gold 6246R)	32	2	3400	64	253	244	--	--	Mar-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6246R, 3.40GHz)	32	2	3400	64	257	247	--	--	Mar-2020	HTML CSV PDF PS Text Config
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6246R, 3.40GHz)	32	2	3400	64	258	248	--	--	Mar-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R640 (Intel Xeon Gold 6246R, 3.40 GHz)	32	2	3400	64	259	251	--	--	May-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6246R, 3.40 GHz)	32	2	3400	64	260	250	--	--	Aug-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX840 (Intel Xeon Gold 6234, 3.30GHz)	32	4	3300	64	260	252	--	--	Oct-2019	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6246R)	32	2	3400	64	261	251	--	--	May-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6246R)	32	2	3400	64	261	252	--	--	May-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6234, 3.30GHz)	32	4	3300	64	262	254	--	--	May-2019	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF8260M5 (Intel Xeon Gold 6244)	32	4	3600	64	265	256	--	--	Nov-2019	HTML CSV PDF PS Text Config
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6234)	32	4	3300	64	267	258	--	--	Aug-2020	HTML CSV PDF PS Text Config
NEC	NX7700x/A5012M-	32	4	3600	64	267	258	--	--	Sep-2021	HTML

Strona 32 z 38

[illegible]

[illegible]

	(AMD EPYC 7343 16-core) Processor)											CSV PDF PS Text Config
Cisco Systems	Cisco UCS C245 M6 32 (AMD EPYC 7343 16-core) Processor)	32	2	3200	64	336	318	--	--	Aug-2022	HTML CSV PDF PS Text Config	
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus v2 (3.50 GHz, AMD EPYC 73F3)	32	2	3500	64	336	327	--	--	Jun-2021	HTML CSV PDF PS Text Config	
Hewlett Packard Enterprise	ProLiant DL365 Gen10 Plus (3.50 GHz, AMD EPYC 73F3)	32	2	3500	64	338	330	--	--	Jun-2021	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS RS720A- E11(KMPP-D32) Server System 3.20 GHz, AMD EPYC 7343	32	2	3200	64	340	331	--	--	Sep-2021	HTML CSV PDF PS Text Config	
Lenovo Global Technology	ThinkSystem SR645 3.50 GHz, AMD EPYC 73F3	32	2	3500	64	347	338	--	--	Apr-2021	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R7525 (AMD EPYC 73F3 16-Core Processor)	32	2	3500	64	349	339	--	--	May-2021	HTML CSV PDF PS Text Config	
Lenovo Global Technology	ThinkSystem SR645 3.50 GHz, AMD EPYC 73F3	32	2	3500	64	349	340	--	--	May-2021	HTML CSV PDF PS Text Config	
Lenovo Global Technology	ThinkSystem SR665 3.50 GHz, AMD EPYC 73F3	32	2	3500	64	350	341	--	--	May-2021	HTML CSV PDF PS Text Config	
ASUSTeK Computer Inc.	ASUS RS720A- E11(KMPP-D32) Server System 3.50 GHz, AMD EPYC 73F3	32	2	3500	64	352	342	--	--	Aug-2021	HTML CSV PDF PS Text Config	
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6146)	48	4	3200	96	360	337	--	--	Dec-2018	HTML CSV PDF PS Text Config	
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6146)	48	4	3200	96	360	337	--	--	Dec-2018	HTML CSV PDF PS Text Config	
Cisco Systems	Cisco UCS C225 M6 32 (AMD EPYC 73F3 16-Core)	32	2	3500	64	362	352	--	--	Dec-2021	HTML CSV PDF PS Text Config	
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6246, 3.30GHz)	48	4	3300	96	369	357	--	--	Aug-2019	HTML CSV PDF PS Text Config	

Fujitsu	Fujitsu SPARC M12- 2S	48	4	4250	384	372	304	--	--	Dec-2017	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6246, 3.30GHz)	48	4	3300	96	373	360	--	--	Jul-2019	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6246, 3.30GHz)	48	4	3300	96	373	360	--	--	Jul-2019	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R6700 G3 (Intel Xeon Gold 6246)	48	4	3300	96	383	370	--	--	Sep-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge C6525 (AMD EPYC 7F72, 3.20 GHz)	48	2	3200	96	388	361	--	--	Apr-2020	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R6525 (AMD EPYC 7F72, 3.20 GHz)	48	2	3200	96	389	362	--	--	Apr-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus (3.20 GHz, AMD EPYC 7F72)	48	2	3200	96	389	366	--	--	Apr-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus (3.20 GHz, AMD EPYC 7F72)	48	2	3200	96	392	368	--	--	May-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF8260M5 (Intel Xeon Gold 6246)	48	4	3300	96	393	380	--	--	Feb-2022	HTML CSV PDF PS Text Config
Dell Inc.	PowerEdge R7525 (AMD EPYC 7F72, 3.20 GHz)	48	2	3200	96	395	368	--	--	May-2020	HTML CSV PDF PS Text Config
Inspur Corporation	Inspur NF8260M5 (Intel Xeon Gold 6246)	48	4	3300	96	395	382	--	--	Mar-2022	HTML CSV PDF PS Text Config
Supermicro	A+ Server 2024US-TRT (H12DSU-iN , AMD EPYC 7F72)	48	2	3200	96	399	377	--	--	Sep-2020	HTML CSV PDF PS Text Config
Hewlett Packard Enterprise	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Gold 6256)	48	4	3600	96	401	387	--	--	May-2020	HTML CSV PDF PS Text Config
New H3C Technologies Co., Ltd.	H3C UniServer R6700 G3 (Intel Xeon Gold 6256)	48	4	3600	96	403	390	--	--	Oct-2020	HTML CSV PDF PS Text Config
Lenovo Global	ThinkSystem SR665	48	2	3200	96	405	381	--	--	Jul-2020	HTML

Technology	3.20 GHz, AMD EPYC 7F72												CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR645 3.20 GHz, AMD EPYC 7F72	48	2	3200	96	408	383	--	--	Jul-2020	HTML CSV PDF PS Text Config		
ASUSTeK Computer Inc.	ASUS RS700A-E9V2(KNPP-D32-R) Server System 3.20 GHz, AMD EPYC 7F72	48	2	3200	96	417	391	--	--	Apr-2020	HTML CSV PDF PS Text Config		
New H3C Technologies Co., Ltd.	H3C UniServer R6900 G3 (Intel Xeon Gold 6256)	48	4	3600	96	432	418	--	--	Sep-2020	HTML CSV PDF PS Text Config		
Supermicro	A+ Server AS-2125HS-TNR (H13DSH , AMD EPYC 9174F)	32	2	4100	64	434	428	--	--	Jan-2023	HTML CSV PDF PS Text Config		
Lenovo Global Technology	ThinkSystem SR665 V3 (4.10 GHz,AMD EPYC 9174F)	32	2	4100	64	451	443	--	--	Jan-2023	HTML CSV PDF PS Text Config		
Hewlett Packard Enterprise	ProLiant DL365 Gen10 Plus (3.20 GHz, AMD EPYC 74F3)	48	2	3200	96	458	445	--	--	Jul-2021	HTML CSV PDF PS Text Config		
Hewlett Packard Enterprise	ProLiant DL385 Gen10 Plus v2 (3.20 GHz, AMD EPYC 74F3)	48	2	3200	96	459	445	--	--	Jul-2021	HTML CSV PDF PS Text Config		
Lenovo Global Technology	ThinkSystem SR665 3.20 GHz, AMD EPYC 74F3	48	2	3200	96	464	450	--	--	May-2021	HTML CSV PDF PS Text Config		
Lenovo Global Technology	ThinkSystem SR645 3.20 GHz, AMD EPYC 74F3	48	2	3200	96	465	451	--	--	Apr-2021	HTML CSV PDF PS Text Config		
Dell Inc.	PowerEdge R7525 (AMD EPYC 74F3 24-Core Processor)	48	2	3200	96	467	453	--	--	Aug-2021	HTML CSV PDF PS Text Config		
IBM Corporation	IBM Power E950 (3.4 - 3.8 GHz, 40 core, SLES)	40	4	3400	320	475	392	--	--	Aug-2018	HTML CSV PDF PS Text Config		
Cisco Systems	Cisco UCS C225 M6 (AMD EPYC 74F3 24-Core)	48	2	3200	96	479	467	--	--	Nov-2021	HTML CSV PDF PS Text Config		
ASUSTeK Computer Inc.	ASUS RS720A-E11(KMPP-D32) Server System 3.20 GHz, AMD EPYC 74F3	48	2	3200	96	485	470	--	--	May-2021	HTML CSV PDF PS Text Config		

Fujitsu	Fujitsu SPARC M12- 96 2S	8	4250	768	739	604	--	--	Dec-2017	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR665 64 V3 (3.25 GHz,AMD EPYC 9354)	2	3250	128	761	742	--	--	Jan-2023	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR665 64 V3 (3.85 GHz,AMD EPYC 9374F)	2	3850	128	837	816	--	--	Jan-2023	HTML CSV PDF PS Text Config
Supermicro	A+ Server AS- 2125HS-TNR (H13DSH , AMD EPYC 9374F)	64	2	3850	128	839	815	--	Jan-2023	HTML CSV PDF PS Text Config
Supermicro	A+ Server AS- 2125HS-TNR (H13DSH , AMD EPYC 9474F)	96	2	3600	192	1140	1090	--	Jan-2023	HTML CSV PDF PS Text Config
Lenovo Global Technology	ThinkSystem SR665 96 V3 (3.60 GHz,AMD EPYC 9474F)	2	3600	192	1170	1110	--	--	Jan-2023	HTML CSV PDF PS Text Config
Fujitsu	Fujitsu SPARC M12- 192 2S	16	4250	1536	1420	1180	--	--	Dec-2017	HTML CSV PDF PS Text Config
IBM Corporation	IBM Power E1080 (3.55 - 4 GHz, 120 core, AIX)	120	8	3550	960	2170	1700	--	Sep-2021	HTML CSV PDF PS Text Config
Fujitsu	Fujitsu SPARC M12- 384 2S	32	4250	3072	2610	2090	--	--	Dec-2017	HTML CSV PDF PS Text Config

Goto: [\[Home\]](#) [\[SPEC\]](#) [\[OSG\]](#) [\[HPG\]](#) [\[GPC\]](#) [\[Benchmarks\]](#) [\[Results\]](#) [\[Submitting OSG Results\]](#) [\[Submitting HPG Results\]](#)

webmaster@spec.org

Fri Jan 20 02:26:43 2023